

14400 NW Greenbrier Parkway, Beaverton, OR 97006-5790 U.S.A. 877-798-9686 + www.redfield.com

Printed in the U.S.A. This publication may not be reprinted or otherwise reproduced without the expressed written consent of Leupold & Stevens, Inc. Copyright © 2013-2014 Leupold & Stevens, Inc. All rights reserved.





DROPS EXCUSES FASSINTHAN YOU CAN MAKE 'EM UP

Get on target lightning fast and up your game with the new Accelerator™ red dot reflex sight. The low-profile, wide field of view, and superior optics make it the perfect sight for handguns, shotguns, and rifles. With the Accelerator, you'll be faster and more accurate no matter what you're shooting.



MOUNTING OPTIONS

The Accelerator is compatible with today's most popular red dot sight mounts (sold separately) for nearly endless mounting possibilities.

SUPERIOR IMAGE

+ The Accelerator's advanced, quality optics provide a sharp, clear picture across the entire field of view.

ADJUSTABLE BRIGHTNESS

+ Enjoy multiple brightness settings: low, medium, high, and auto. Includes an "on/off" setting to maximize battery life.

EASY-ACCESS BATTERY

+ If you should ever have to change the battery, it's easily accessible on the top of the sight to prevent removing and remounting.

ADAPTER PLATE

ACCELERATOR YOU CAN'T FAKE SPEED.

+ Included adapter plate allows mounting on most popular reflex sight mounts (sold separately).



ADJUSTMENTS

Generous windage and elevation travel makes the Accelerator easy to zero. Locking adjustments ensure it maintains zero even under the harshest recoil.



THE KI

The Accelerator includes a cross-slot mount for Picatinny/Weaver-style rails/mounts, mount adaptor plate, a CR2032 battery, and a durable protective cover.



FIELD OF VIEW

+ A wide field of view lets you quickly find and lock onto your target (left).

VERSATILITY

+ The Accelerator is designed to sit low and tight on handguns, rifles and shotguns. It's quick no matter what you shoot (right).









CHECK YOUR EXCUSES

AT THE

Our CounterStrike™ puts every advantage in your favor, combining a powerful, visible, red laser and an illuminated, 4-MOA green/red dot scope in one versatile sighting system. Get on target faster and with greater precision, either through the scope or using the laser sight. There's no excuse to ever miss a shot again.



MIL-STD-1913/ PICATINNY RAIL MOUNT

Mounting the CounterStrike on the rail of your MSR/AR is as easy as tightening the nut. Rock-solid under fire and fast, repeatable mounting/dismounting.



REDFIELD

1/2-MOA CLICK ADJUSTMENTS WITH TETHERED COVERS

The CounterStrike offers precision 1/2-MOA click adjustments (slotted for screwdriver or coin) for windage and elevation. Dial covers are tethered to prevent loss in the field.

COUNTERSTRIKE STRIKE BACK WITH DUAL ILLUMINATION.

BASE-MOUNTED LASER

 + A powerful, integrated visible laser sight lets you engage targets in an instant from almost any position. User selects "on/off" mode for laser.

100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

+ CounterStrike is built to take on the elements, no matter how bad they get. Completely sealed and nitrogen-filled, the CounterStrike is totally waterproof and fog proof.

FLIP-UP LENS COVERS

+ Each CounterStrike is equipped with easy-to-use flip-up lens covers to protect lens surfaces from scratches and the elements.

LONG-LIFE BATTERY POWER

+ The illuminated reticle and laser of the CounterStrike is powered by a readily available CR123A battery. Runs up to 5,000 hours on lowest setting and up to 500 hours on highest setting (does not include running of the external laser).

COMBINES ILLUMINATED RED/GREEN DOT RETICLE WITH LASER

The CounterStrike features a user-selectable 4-MOA red/green dot reticle in combination with a base-mounted laser. Eleven different illumination intensity settings (including night-vision compatible) give you the flexibility to adapt to all shooting/lighting conditions.









THIS IS NO TIME FOR IFS AND BUTS

Winners adjust. Losers make excuses. Trust your next shot to the Redfield® Battlezone.™

The riflescope that proves its mettle time and again with Bullet Drop Compensation (BDC);

TAC-MOA™ reticle; and a bright, crystal-clear image. Everything you need to stay in the "zone."



TACTICAL ADJUSTMENTS FEATURE TACTILE/ AUDIBLE CLICKS

To give you a firm grip and tactile response, the Battlezone features taller tactical-style turrets for windage and elevation. Adjustment dials are 1/4-MOA finger click/resettable.



(REDFIELD)

FAST-FOCUS EYEPIECE

Battlezone features a fast-focus eyepiece that gets you on target faster, and lets you easily adapt to changing shooting conditions.



BULLET DROP COMPENSATION SYSTEM (BDC)

+ Each Battlezone comes with two BDC dials specifically calibrated to match the ballistics of popular calibers (see page 11). Quickly compensate for bullet drop at long range with a simple turn of the dial.

FULLY MULTICOATED LENS SYSTEM

+ Battlezone features our fully multicoated lens system to reduce light reflection and diffusion. With maximum light transmitted to your eye, you get a bright, crisp image in all lighting conditions.


100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

+ Like all Redfield scopes, Battlezone is built to withstand the elements. Nitrogen-filled maintubes are totally impervious to moisture and fogging, and are guaranteed to stay that way for the life of your scope. Rugged Redfield reliability means the optics can withstand the pounding of heavy use and never miss a beat.

TAC-MOA™ RETICLE—ADJUSTS FOR WIND AND ELEVATION

To give your Battlezone greater flexibility and long-range aiming precision, we developed the TAC-MOA reticle. Each tic-mark on the horizontal and vertical posts are in two minute of angle [MOA] increments [Battlezone 6-18x44mm features 1-MOA increments], allowing you to quickly compensate for wind and

elevation. Battlezone takes away the guesswork to give you more confidence when it's time to pull the trigger.



(Enlarged for detail)

2 MOA INCREMENTS (2-7x34mm TAC 22, 3-9x42mm)







EACH BATTLEZONE COMES WITH TWO BDC DIALS FOR POPULAR CALIBERS

Each Battlezone 3-9x42mm or 6-18x44mm comes with two elevation BDC (Bullet Drop Compensation) dials calibrated to match two of the most popular calibers for tactical rifles. The .223/5.56mm NATO dial is calibrated for 55 grain bullets at 3,100 fps, while the .308/7.62mm NATO dial is calibrated for 168 grain bullets at 2,650 fps. Each dial is marked in 50-yard increments.



The Battlezone TAC .22 comes with two elevation dials. One that is marked in 1/4-MOA increments and a BDC (Bullet Drop Compensation) dial that is calibrated for a .22 Long Rifle shooting a 36 grain hollow point bullet at 1,260 feet per second. The BDC dial is marked from 50 to 150 yards.



BATTLEZONE 3-9x42mm | MATTE FINISH

+ Made for AR, Modern Sporting, or precision bolt-action rifles. Comes with two elevation BDC dials calibrated in two of the most popular calibers for tactical rifles: .223/5.56mm NATO set up for 55 grain bullets at 3,100 fps and .308/7.62mm NATO for 168 grain bullets at 2,650 fps.



TAC-MOA



BATTLEZONE 6-18x44mm | MATTE FINISH [New]

+ Ideal for long-range precision accuracy. Includes elevation BDC dials for both a .223/5.56mm NATO set up for 55 grain bullets at 3,100 fps and .308/7.62mm NATO for 168 grain bullets at 2,650 fps.



TAC MOA




BATTLEZONE TAC .22 2-7x34mm | MATTE FINISH [New

+ Whether you're hunting small game or just plinking, this riflescope will take your accuracy to a new level. Comes with an elevation dial marked in 1/4-MOA increments, plus a second BDC dial that's calibrated for a .22 Long Rifle shooting a 36 grain hollow point bullet at 1,260 fps.



TAC-MOA









DIAL THE DISTANCE Optional Dial-N-Shoot™ System [D-N-S™] lets you range your target, and precisely compensate for bullet drop and wind



1/4-MOA POP-UP RESETTABLE FINGER CLICK **ADJUSTMENTS** Quickly adjust for

drift. See page 14.

windage and elevation [6-18x44mm Adj. Obj. has 1/8-MOA adjustments)

REVENGE THE DISTANCE BETWEEN YOU AND THAT TROPHY JUST GOT SHORTER.

ACCU-RANGER BALLISTICS SYSTEM™

+ Our exclusive Accu-Ranger Ballistics System™ eliminates the quessing game of judging distance, putting you in a better position to make an accurate shot. Best of all, it happens "in scope" so there's no need to go back and forth between your riflescope and a laser rangefinder.

FULLY MULTICOATED LENS SYSTEM

+ Revenge riflescopes feature our fully multicoated lens system to reduce glare and diffusion. Maximum light transmission is delivered to your eye so you see a bright, clear image in all lighting conditions.

100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

+ Revenge riflescopes are built to take on the elements, no matter how bad they get. Nitrogen-filled and permanently sealed, Redfield riflescopes are totally waterproof and fog proof, and are guaranteed to stay that way for the life of your scope. Rugged Redfield reliability means the optics can withstand the heaviest recoiling rifles without missing a beat.

14 DIFFERENT MODELS

+ Revenge is available with and without the Accu-Ranger Ballistics System (ABS). See the lineup on page 14.



FAST-FOCUS EYEPIECE

Lets you quickly and easily adapt to changing conditions


ACCU-RANGER°: AS EASY AS RANGE. ZOOM. FIRE.

Just determine the range, choose the correct holdover, and put your bullet downrange with incredible accuracy. Range. Zoom. Fire.

To use the Accu-Ranger® reticle, simply bracket the torso of the animal between the horizontal line and top post of the reticle. The number intersected by the range indicator is the distance to the target [2 = 200 yards, 3 = 300 yards, etc].

Once you determine the range, zoom to the highest power and use the corresponding ballistic holdover points as your aimpoint.






RETICLE SYSTEMS

Redfield Revenge offers an unprecedented combination of ranging capability and aiming precision with our Accu-Ranger (ABS) and Accu-Plex™ reticles. Now, there's no excuse for misjudging distance.

ACCU-RANGER (ABS) RETICLES

Adjust the magnification until your target fits the bracket and read the distance indicated on the top post of the reticle. Once the distance has been determined, adjust scope to highest magnification and aim with the appropriate holdover point. Each reticle offers ranging brackets for 16" [deer] and 25" [elk/coyotes] targets, while the Varmint reticle has an additional 8" bracket (prairie dogs/coyotes).



ABS HUNTER RETICLE



Caliber	Bullet Wt.	Velocity
.223 Remington	40	3800 fps
.22-250 Remington	55	3650 fps
.243 Winchester	100	2900 fps
.25-06 Remington	100	3200 fps
.25-06 Remington	120	3000 fps
.270 Winchester	130	3050 fps
.270 WSM	150	3120 fps
.280 Remington	140	3000 fps
7mm Remington Mag	150	3050 fps
.30-06 Springfield	150	3000 fps
.300 Weatherby Mag	180	3100 fps
.300 Winchester Mag	180	2950 fps
.300 WSM	180	2950 fps
.338 Winchester Mag	200	2950 fps
.338 RUM	250	2900 fps


(35-45 i	nches of	f drop	at 500) yards

ABS VARMI	NT RETICLE
Range Indicator	
200 Yards ——	25" Target 16" Target 8" Target
300 Yards 400 Yards 500 Yards 600 Yards	

Caliber	Bullet Wt.	Velocity
.17 Remington	25	4000 fps
.223 Remington	40	3800 fps
.222 Remington	40	3600 fps
.22-250 Remington	50	3800 fps
.22-250 Remington	55	3680 fps
.220 Swift	50	3850 fps
.220 Swift	50	3750 fps
.220 Swift	55	3680 fps
.223 WSSM	55	3850 fps
.243 Winchester	58	3750 fps
.25-06 Remington	100	3200 fps
.25-06 Remington	120	3000 fps
.270 Winchester	130	3050 fps
.270 WSM	130	3200 fps
.270 Weatherby	130	3200 fps
7mm Remington Mag	150	3100 fps
.300 Winchester Mag	180	3100 fps

(30-40 inches of drop at 500 yards)

ABS SABOT ML RETICLE



ABS CROSSBOW RETICLE



4-PLEX® REVENGE RETICLE + Heavy posts stand out against cover

thin crosshairs obscure little.

FINE PLEX RETICLE

small targets easy.

+ Thinner posts and crosshairs allow for less

target coverage, making precision shots on


and in twilight conditions pointing boldly to

the intersection. Centering is a snap. The

DIAL-N-SHOOT™ WITH ACCU-PLEX™ RETICLE

Long-range accuracy has never been easier with Redfield Revenge Dial-N-Shoot (D-N-S). Simply adjust the magnification until your target fits the bracket of the Accu-Plex reticle and read the distance indicated on the top vertical post [2 = 200 yards, 3 = 300 yards, etc]. Once the distance has been determined, simply turn the D-N-S elevation adjustment dial to the corresponding distance, hold dead on, and shoot. The Accu-Plex reticle also features tic-marks every 2-MOA (minutes of angle) on the horizontal crosswire allowing for precise bullet wind drift compensation.

ACCU-PLEX RETICLE



COMES WITH FIVE BDC DIALS FOR POPULAR CALIBERS

Each Revenge D-N-S scope comes with five pre-engraved Bullet Drop Compensation (BDC) elevation dials to match the ballistic profiles of most popular hunting calibers, from .17 Remington to .338 RUM. Please consult www.redfield.com for the D-N-S to your specific ballistics information.

complete list of dials and methods of matching



+ With 7X magnification and lighter weight, this is a perfect choice for a crossbow or short action rifle. Ideal in the woodlots and thickets, as well as meadows and broken country.











+ Low-power field of view with high-power precision. The ranging abilities of the Accu-Ranger Ballistics System provide a distinct advantage in the field.





+ Squeeze a little extra light out of the day. Adds maximum brightness for easy targeting of deer and other game at dawn, dusk, or when the weather turns nasty.













+ The one to carry when long shots are the norm. With full 12X magnification, you're ready for

+ For tiny targets and smaller groups, you'll appreciate the high magnification, 1/8-MOA adjustments, and adjustable objective.

everything from pronghorns and muleys, to whitetails and woodchucks.







DROP KICK THE STATUS

With a name like Revolution®, it's fitting that this riflescope is American-made, right here in our Beaverton, Oregon, factory. It's a revolution of world-class, game-changing optics that go beyond what you need, straight to damn-that's-awesome-and-l-want-it. And with the addition of the Revolution/TAC™, you can kiss the status quo goodbye.

REDFIELD

ILLUMINATOR LENS SYSTEM®

+ Our Illuminator Lens System® gives you the clearest image for the cleanest shot. Premium lenses and coatings deliver exceptional light



RAPID TARGET ACQUISITION®

Get on target faster. Our Rapid Target Acquisition® (RTA) eyepiece and generous eye relief eliminate searching for the visual sweet spot when time is critical.

100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

REVOLUTION PACKED WITH ALL THE FEATURES YOU NEED.

ACCU-TRAC® ADJUSTMENTS

ACCU-RANGE® RETICLE

windage and elevation adjustments let you quickly and easily zero your rifle on the range.





4-PLEX® RETICLE

+ Nitrogen-filled and permanently sealed maintubes are quaranteed to be waterproof and fog proof for the life of your scope. Rugged reliability means the optics can withstand the heaviest recoil time after time.

REVOLUTION/TAC MAKE ADJUSTMENTS. NOT EXCUSES.

ADJUST ON THE FLY

+ The Revolution/TAC syncs tactical adjustment dials and the TAC-MOA reticle to let shooters make quick, simple adjustments for better accuracy.

TAC-MOA RETICLE

+ Markings on the horizontal and vertical posts in two minute of angle (MOA) increments provide quick wind and elevation adjustments. Get greater flexibility and precision, even at long range.

TACTICAL DIALS

+ Taller, tactical-style windage and elevation adjustments feature aggressively knurled dials and tactile/audible 1/4-MOA clicks to give you a better grip and more control over the elements.



TAC-MOA™ RETICLE


transmission even at dawn and dusk

+ Precision, stainless steel, 1/4-MOA finger click

+ An innovative Bullet Drop Compensation System pioneered by Redfield (and copied in many other scopes around the world]. For more information, see page 18.

4-PLEX RETICLE

+ Heavy posts stand out against cover and in twilight conditions pointing boldly to the intersection. Thin crosshairs allow precise placement of your shot



ACCU-RANGE RETICLE

TAKE THE GUESSWORK OUT OF YOUR NEXT SHOT.

As one of the first with Bullet Drop Compensation, Redfield's original Accu-Range® pioneered the reticles we take for granted today. The Accu-Range blends precise holdover points hunters need with a bold center that naturally leads the eye for fast shot placement at close quarters.

The reticle comes with precise aiming points that work with most popular hunting loads. For many standard cartridges (Group 1 at right), sight in at 200 yards with the center crosshair, and the remaining hold points are dialed in up to 500 yards. The bottom of the circle intersects the vertical crosshair at the 300-yard aim point, the dot is your hold for 400 yards, and the bottom post provides a 500-yard aiming point. For faster, magnum-caliber rifles shooting light bullets, you can sight in at 300 yards and have hold points for 400, 500, and 600 yards.





Accu-Range is ideal for fast Accu-Range is also ideal target acquisition at close for taking game cleanly range or on running game.



at longer ranges.







+ It's the Revolution—tactical style. Everything you love about the Revolution plus tactical dials and the TAC-MOA reticle. Allows for quick, simple adjustments when conditions change and time is of the essence.





+ If you hunt woodlots, thickets, or dark timber, this Revolution is for you. Mount it on a lever gun or short action to save weight and get the job done. Plus, the 7X magnification makes this scope at home hunting over meadows, clear-cuts, and broken country.







CARTRIDGE GROUPS FOR USE WITH ACCU-RANGE RETICLE

Bullet Wt. Velocity

100 2900 fps

100 3200 fps

120 3000 fps

130 3050 fps

3120 fps

3000 fps

3050 fps

3000 fps

3100 fps

2950 fps

2950 fps

2950 fps

2900 fps

3275 fps

3300 fps

3300 fps

3225 fps

3325 fps

3450 fps

3250 fps

3400 fps

3400 fps

130 3200 fps

150 3100 fps

150 3375 fps

150

140

150

150

180

180

200

250

130

150

140

140

140

160

180

Bullet Wt. Velocity

(35-45 inches of drop at 500 yards)

[Less than 35 inches of drop at 500 yards]

GROUP 1 (200 YARD ZERO)

.243 Winchester

.25-06 Remington

.25-06 Remington

.270 Winchester

.280 Remington

7mm Reminaton Mad

.300 Winchester Mag

.338 Winchester Mag

GROUP 2 (300 YARD ZERO)

.30-06 Springfield

.270 WSM

.300 WSM

.338 RUM

.270 WSM

.300 WSM

7mm WSM

7mm STW

7mm RUM

7mm RUM

.300 RUM

.30-378 Weatherby Mag

.270 Weatherby Mag

7mm Remington Mag

.300 Weatherby Mag

.300 Winchester

+ This go-to scope gives hunters great flexibility with a magnification range that combines low-power field of view and high-power precision. This Revolution will be right at home in any terrain you hunt.







+ Need to squeeze a little extra light out of the day? The 3-9x50mm adds maximum brightness for easy targeting of deer and other game at dawn, dusk, or when the weather turns bad.









+ For those wide-open spaces, cutovers, clear-cuts, and bean fields where long-range shots make a difference. Dial it all the way up to 12X magnification, and you have a scope for everything from pronghorn and whitetail to coyotes and woodchucks.







YOU'LL MISS IS THE STICKER SHOCK

THE ONLY THING

Rampage® is a full-sized, fully featured spotting scope that opens up a world of possibilities with a price tag that anyone can afford. Bright, clear optics and rugged Redfield dependability make it the perfect choice for observation, at the range or on the hunt.

RAMPAGE BIG-TIME PERFORMANCE AT A USER-FRIENDLY PRICE.

BAK4 PRISM SYSTEM

+ These top-quality prisms deliver unmatched clarity and resolution, so you get a crisp, clear image every time. No dull or muddled reproduction, just accurate color fidelity and sharp edge-to-edge clarity to help you separate game from their natural surroundings.



RETRACTABLE LENS SHADE

+ Reduce glare and increase visibility when spotting in wide-open country.

POLYCARBONATE BODY

+ Made of the same stuff as bulletproof glass, the body is exceptionally light, yet remarkably tough. It will be there with you, standing up to the toughest elements and terrain.

READY. SET. GO ANYWHERE.

RAMPAGE® 20-60x80mm ANGLED EYEPIECE KIT

+ This all-in-one kit comes complete with a 20-60x80mm Angled Eyepiece Rampage, tripod, view-thru case, soft carry case with strap, and covers for both the eyepiece and objective. The 45-degree angled eyepiece provides greater comfort and ease of use at the range or in the field. Black finish.



RAMPAGE 20-60x60mm KIT

Includes a 20-60x60mm Rampage, tripod, view-thru case, soft carry case with strap and eveniece and objective covers. This complete spotter kit is at home at the range or on the hunt. Black finish.





The generous field of view— 114 feet at 20X: 51 feet at 60Xmeans you get the whole picture. Don't miss a single detail as you scan the ridgeline for that trophy





REBEL SMALL IN STATURE. BIG ON PERFORMANCE.

A compact, all-purpose binocular that will get the job done from dawn to dusk. A close focus distance of less than 10 feet and a huge field of view makes the Rebel® a perfect fit for almost any situation. Available in 8X and 10X models.



 Integrated twist-up eyecups provide a great fit, with or without glasses.



8×30mm



8x42mm



10v42mm



10x50m

FULLY MULTI-COATED LENSES

BAK4 PRISM SYSTEM

Fully multi-coated lenses guarantee a bright, sharp image to spot your game. These lenses maximize transmission of fading light for strong performance in twilight conditions. Eliminate muddy images and missed opportunities thanks to crystal-clear resolution and accurate color reproduction.

Brightness. Resolution. Edge-to-edge clarity. Three things you need to spot a rack in tangled timber or the twitch of an ear through the brush, all thanks to the advanced BAK4 Prism System.

ARMORED CONSTRUCTION

Polycarbonate body construction stays fog-free to keep you glassing in all conditions. Built tough, these binoculars tackle rough conditions without worry. Includes a soft case, comfortable neoprene neckstrap, and durable lens covers.

RENEGADE SAY GOODBYE TO THE SAME OL'.

Buck the system and get more value for your money. No matter the conditions, you'll spot game with ease thanks to a Porro prism design that doesn't flatten the image, giving you 3-D reproduction with generous depth of field. Available in 7X, 8X, and 10X models.



+ Get a sure grip and ease of focus, thanks to aggressive knurling and rubber armor.



NEW 8x36mr



NEW 10x36mr



7v50mm



10x50mm







RAIDER 600 LIGHTNING-FAST AND DEADLY ACCURATE.

RAIDER 600A™ FEATURES INCLINOMETER

 + Take the guesswork out of uphill/downhill shots with the Raider 600A™ (Angle). Automatically compensates for incline/decline to give you true horizontal distance for more precise shooting.

EASY TO USE

+ With simple, one-button operation, the Raider™ is ideally suited for fast action in the field. One press of the button ranges your target instantly, while a press and hold will let you scan the landscape, returning ranges for various landmarks or game.



Raider 600A



Raider 60

PEAK PERFORMANC

+ High-speed, digital processor and powerful laser combine to deliver instant, accurate ranging in the field.

COMPACT SIZE

+ At less than five inches long and under five ounces, the Raider is a powerful tool in a tiny package. Easy to carry and handle, it's a compact rangefinder that makes a big difference.




Raider 600 Cam



Raider 600 Metric

BATTERY POWER

The Raider's efficiency means long battery life, so it's always ready when you need it. Commonly available CR2 battery makes replacement hassle free.



MAGNIFICATION

The 6X magnification lets you get up close and personal while ranging. Make sure you're dialed in on that target, or use your Raider as an instant spotter when game is close.



DEAD ON ACCURACY FOR UNSHAKEABLE CONFIDENCE.

When a big buck sneaks through the clearing you've been scouting for months, are you going to trust your shot to a guess? Give yourself the advantage with our Raider 600 laser rangefinder. Lightning-fast. Deadly accurate.





THE LAST THING YOU NEED IS AN EXCLISE

WE BUILD OUR REDFIELD RIFLESCOPES, BINOCULARS, SPOTTING SCOPES, AND LASER RANGEFINDERS TO DO THEIR JOB. DAY AFTER DAY. SEASON AFTER SEASON. IT'S WHAT YOU EXPECT FOR YOUR HARD-EARNED MONEY.

IF YOU EVER HAVE AN ISSUE, THE LAST THING YOU NEED IS BACKPEDALING AND PASSING THE BUCK. THAT'S WHERE OUR "NO EXCUSES" WARRANTY COMES IN. IF YOU HAVE A PROBLEM WITH YOUR REDFIELD PRODUCT, WE WILL MAKE IT RIGHT. NO HASSLE, NO EXCUSES™, THAT'S THE REDFIELD WAY. PLEASE SEE WWW.REDFIELD.COM FOR WARRANTY DETAILS.











PUT EXCUSES

MOUNT YOUR

RIFLESCOPE

WITH LEUPOLD

When you're ready to pull the trigger, the last thing you need to

worry about is whether or not your

mounting system is up to the task.

Be sure with genuine Leupold® rings and bases, precision machined

in Beaverton, Oregon. Available in

matte black or silver finish, these

rock-solid mounts will keep your

shot after heavy-recoiling shot.

riflescope locked down and zeroed in

RINGS AND BASES.

REDFIELD®

ON LOCKDOWN:







TIO	INS	i-MOA Dot 117852 117850		A 1.9		C C	imens (Inche	F F Sions	G —	Н —	K 1.0		octual nifica 1x		Low	100 y		m at 10	0 m High	0 in Low	ptimum ch High	Ė	lief mm Hic	_	Objec Cle Aper Ich	ar	nuo	Weigh	ht gram	Adju: Ra	vation stment nge*	Windage Adjustmer Range* MOA
		117852		А		C C	E imens	F -	G —				nifica		Low	_							_	_	Aper	ture	nuo		_	Ŕa	nge*	Ŕange*
	E	117852		А		- - D	imens (Inche	- sions	G —				1x	l		Hi	gh	Low	High	Low	Hinh	gh Low Hi		h ir	ıch	mm	our	nce i	gram	٨	10A	MOA
	E	117852		А	В		imens (Inche		_	_	1.0		1x																			
				А	В		imens (Inche				1.0		1x		A17																	
		117850			В		(Inche								NA	N	Α	NA	NA	Unlir	nited	Un	imited	1	۱A	NA	1.	.0	28.4		80	80
		117850			В	_	`	esj				,	ctual			Fie	eld of	View		0	ptimum	Eye Re	lief		Objec Cle	ctive	Τ	Weigh	ht		vation stment	Windage Adjustmer
		117850			В	C C	_						nifica		ft at	100 y	/d	m at 10	0 m	in	ch		mm		Aper	ture			\Box		nge*	Ŕange*
		117850		59			E	F	G	Н	Κ				Low	Hi	gh	Low	High	Low	High	Low	Hig	h in	ich	mm	our	nce g	gram	٨	10A	MOA
		117850		5.9																												
				0.0		- -	· _	_	_	_	30		1x		NA	N	Α	NA	NA	Unlir	nited	Un	imited	2	4.9	30	14	1.8	420		90	90
			ſ											$\overline{}$					$\overline{}$					$\overline{}$	Objec	nti un	_		\neg	По	/ation	Windage
							imens						ctual			FI	eld of	View		U	ptimum	Eye Re	liet	_				Weigl	ht			Adjustme
			ļ				LILICIE	esj				May			ft at			m at 10	0 m	in	ch		mm		Aper	ture					2.	Range*
				Α¹	В	C C	E,	F	G	Н	Κ	Low	ŀ	ligh	Low	Hi	gh	Low	High	Low	High	Low	Hig	h ir	ich	mm	our	nce r	gram	٨	10A	MOA
													_																			
							_	_	-	_			_	_		_	_	_	_			_	_	_	-		-	_	_			70
						_		_					_	_	_	_	_	_	_			_	_	_	_		_	_				36
	11845	0		11.3	5.6 2	.1 2.	2 3.4	1 2.3	1.6	1.7	1.0	2.1		7.0	43.1	13	3.2	14.4	4.4	3.5	3.5	89	89	1	3	34	13	1.6	385		80	80
														s		Τ.				Field o	f View		Optir	num Ey	re Rel	lief			Wei	nht	Elevation Adjustmen	
												[Incl	nesj			- ['	Magnit	tication	ft at 1	100 yd	m at 1	00 m	inc	n	mn	n				5	Range*	Range
									Α¹	В	С	D E	1 F	G	Н	K	Low	High	Low	High	Low	High	Low	ligh L	.OW	High	inch	mm	ounce	gram	MOA	MOA
ı-Plex	ABS	ABS	ABS			4-PI		Fine																								
	Hunter —	varmint —	SADDI ML			1152			11.3	5.6	2.1	2.2 3	4 2	3 1.6	1.7	1.0	2.1	7.0	43.1	13.2	14.4	4.4	3.5	3.5	89	89	1.3	34	13.6	385	80	80
_	115210	_	115211	+-			_		_	_			_	_	-	_			_	_	_	-	_	_	\rightarrow	_	_	_				70
7853	_		_	+	_		-	_					_	_	-	_					11.0	-	_	_	-	_	$\overline{}$					70
_	_	_	_	+	_	1152	09	_			_		_	_	-	_		8.6	32.9	11.4	11.0	_	_			89	_		14.8	420	70	70
_	115214	_	-	\top	_		_	_	-	_	_	_	_	_	-	_		8.6	32.7	11.5	_	_	_	_	_	89	-	52	17.1	485	70	70
_	115216	115217	-	\top	_	1152	15	_	14.1	5.5	2.1	2.2 3	.4 5.	2 1.9	1.7	1.0	3.8	11.7	24.6	7.9	8.2	2.6	3.5	3.5	89	89	1.7	42	15.3	435	50	50
_	-	115219	_		_	_	1	15218	14.5	5.7	2.2	2.2 3	.4 5.	4 2.1	1.7	1.0	5.8	17.4	19.2	6.0	6.4	2.0	3.5	3.5	89	89	1.7	44	29.8	590	36	36
			-				_		_	_									_					_			_	_	=			
				Dimensions (Inches)							ft at				0 m	71			Relief		Objective Clear Aperture		We		at	Adju	stment	Windage Adjustmer Range*				
			Ì	A¹	В	СС	E1	F	G	Н	К	Low				_		_	Hiah	Low	Hiah			-		mm	_	$\overline{}$	\rightarrow			MOA
- 78 - -	353	11785 11892 11845 11845 11845 Plex ABS Hunter 115210 115210 115214 115216	Hunter Varmint.	117851 118929 118450 Plex ABS ABS ABS Hunter Varmint SAbot ML 115210 — 115211 1523 — — — — — — — — — — — — — — — — — — —	TAC-MOA 117851 118929 145 118950 113 Plex ABS	TAC-MOA	TAC-MOA	TAC-MOA	TAC-MOA	TaC-MOA	TAC-MOA	TAC-MOA	Name	Name	Name	Residual Nation Figure F	TAC-MO	TAC-MUA	Name	Martin M	Magnification Magnificatio	Magnification Magnificatio	Name	Magnification Magnificatio	Magnification Magnificatio	Magnification Magnificatio	Tacholia Fine Fin	Magnification Magnificatio	Magnification Magnificatio	May May	Agus 1.00 1.00	ABS ABS

				(lashes)								Magnification	l .						/		Cli	ear	Weight		Adiustment	Adiustment		
				1			[In	ches	J				Magni	fication	ft at	100 yd	m at	100 m	in	ch	m	m	Ape	rture	_		Ŕange*	Ŕange*
				A ¹	В	С	D	E1	F	G	Н	K	Low	High	Low	High	Low	High	Low	High	Low	High	inch	mm	ounce	gram	MOA	MOA
REVOLUTION	Accu-Range	4-Plex	TAC-MOA																									
2-7x33mm	67085	67080	_	11.0	5.2	1.9	2.1	3.2	2.6	1.6	1.6	1.0	2.5	6.5	43.2	17.3	14.4	5.8	4.2	3.7	107	94	1.3	33	11.1	315	65	65
3-9x40mm	67095	67090	-	12.3	5.6	2.3	2.1	3.2	3.5	1.8	1.6	1.0	3.3	8.5	32.9	13.1	11.0	4.4	4.2	3.7	107	94	1.6	40	12.6	357	56	56
3-9x50mm	67105	67100	-	12.4	4.8	1.6	2.1	3.2	4.1	2.3	1.6	1.0	3.3	8.4	33.0	13.1	11.0	4.4	4.2	3.7	107	94	2.0	50	14.5	411	56	56
4-12x40mm	67115	67110	-	12.3	5.6	2.3	2.1	3.2	3.5	1.8	1.6	1.0	4.5	11.4	19.9	9.4	6.6	3.1	4.9	3.7	124	94	1.6	40	13.1	371	50	50
Rev/TAC 3-9x40mm	-	_	118348	12.3	5.6	2.3	2.1	3.2	3.5	1.8	1.6	1.0	3.3	8.5	32.9	13.1	11.0	4.4	4.2	3.7	107	94	1.6	40	12.6	357	56	56
	24				Actual		Ī	Linear Field of View			N		Angular Id of View	Т	Weight		Len	gth		Objective Aperture		ight	Exit Pupil	Т	Eye Relief	Interpupillary Distance	Close Foo Distanc	
[Imported]	orted)	Mag	gnifica	tion	ft	/100	0 yd	r	m/1000 m		degrees		nuo	ounce gram		inches	mm	mm r		Fac	tor	mm		mm	mm	ft		

20-60x60mm	67600	20-60x	114~51	125~25	2.2~1.0	37.2	1055	14.4	365	60	34.6~60.0	3.0~1.0	17.0~14.0	NA	19.8	6.0
20-60x80mm Angled	114651	20-80x	105~52	32~16	2.0~1.0	43.0	1219	15.0	381	80	40.0~69.3	4.0~1.3	19.3~16.6	NA	14.3	4.8
	100	Actual	Linear Fie	ld of View	Angular Field of View	Weight		Ler	ngth	Objective Aperture	Twilight	Exit Pupil	Eye Relief	Interpupillary Distance	Close Dista	
(Imported)		Magnification	ft/1000 yd	m/1000 m	degrees	ounce	gram	inches	mm	mm	Factor	mm	mm	mm	ft	m
REBEL ROOF PRISM	Black															
8x32mm	67610	8x	389	118.6	7.4	17.1	485	5.0	128	32	16.0	4.0	15.8	58-73	3.8	1.2
8x42mm	114650	8x	394	131.7	7.5	24.2	686	5.8	147	42	18.3	5.3	17.0	56-74	5.3	1.6
10x42mm	67605	10x	341	113.9	6.5	26.4	748	5.9	149	42	20.5	4.0	16.3	58-73	4.3	1.3
10x50mm	114503	10x	284	86.4	5.4	30.0	851	6.7	170	50	22.4	5.0	16.0	58-74	9.8	3.0
RENEGADE PORRO PRISM	Black											•				
8x36mm	117987	8x	389	117.7	7.4	20.5	581	5.0	127	36	16.9	4.5	18.0	56-68	15.0	4.5
10x36mm	117988	10x	314	104.7	6.0	20.5	581	5.0	127	36	19.0	3.6	18.0	56-68	15.0	4.5
7x50mm	67615	7x	341	113.9	6.5	30.8	873	6.5	165	50	18.7	7.1	20.0	60-73	19.0	5.8
10x50mm	67620	10x	347	115.7	6.6	31.3	887	6.5	165	50	22.4	5.0	18.0	60-73	17.3	5.2

		Actual	Linear Fie	ld of View	Angular Field of View		ight pattery]	Len	gth	Objective Aperture	Twilight	Exit Pupil	Eye Relief	Close Dista	Focus ance	Maximu	m Range	Minimun	n Range		
(Imported)				Magnification	ft/1000 yd	m/1000 m	degrees	ounce	gram	inches	mm	mm	Factor	mm	mm	ft	m	yards	meters	yards	meters
RAIDER 600	Black	Natural	Mossy Oak Break-Up Infinity																		
Raider 600A (Angled)	-	117862	-	6x	325	100	6.0	5	139.7	3.7	95	23	11	3.3	12	19.8	6.0	600	549	6	5.5
Raider 600	117859	-	117861	6x	325	100	6.0	5	139.7	3.7	95	23	11	3.3	12	19.8	6.0	600	549	6	5.5
Raider 600 Metric	117860	-	-	6x	325	100	6.0	5	139.7	3.7	95	23	11	3.3	12	19.8	6.0	600	549	6	5.5

'Dimensions "A" and "E" may vary according to the focusing position of the eyepiece. * Elevation and windage adjustment ranges are the distance from one extreme of the adjustment to the other

In LENC SYSTEM: Launald products are manufactured under one or more of the following natents: ILS Datents 6.005

Leupold & Stevens, Inc. reserves all other rights, 4-PLEX; ACCUL-RANGE; ACCUL-RANGER; ACCUL-TRAC; ILLUMINATOR LENS SYSTEM LEUPOLD; RAMPAGE; RAPID TARGET ACQUISITION; REBEL; REDFIELD; REVERGADE; REVENGE; and REVOLUTION acrepistered trademarks of Leupold & Stevens, Inc., Beaverton, Dragon. ACCELLERATOR; ACCUL-PLENGE; COUNTERSTRIKE; DIAL-N-SHOOT; D-N-S; NO EXCUSES; RAIDER 600A; RAIDER; REVOLUTION/TAC; and TAC-MOA are trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. We reserve the right to make design and/or material modifications without prior notice.

Leupoid products are manufactured under one or more of the following patents: U.S. Patents 6,005,711; 6,279,259, 6,285,756; 6,327,800; 6,351,407; 6,359,418; 6,468,829; 6,513,800; 6,691,447; 6,816,305; 7,008; 6,077,7007,718; 4,555,725,407; 7,375,881,7603,900; 6,691,447; 6,816,305; 7,009; 7